



Requirements AI

>>Customer<< Workshop XX.YY.ZZZZ

DRIMCO.ai

Hardware Requirements*

	DRIM NETWORK ZONE	
Server	Server1 (DRIM) Windows Server	Server 2 (DRIM AI) Linux Server
Generic Configuration	8 Cores 16GB RAM 1 TB initial storage - Windows 2019 or 2022 Server	32 Cores 128GB RAM 1 TB initial storage - Ubuntu 20.4 (or newer), LTS or RHEL 8+
Azure Sizing	Standard_D8_v4	Standard_D32_v4
AWS Sizing	m5.2xlarge	m5.8xlarge
Recommended Conditions (see MSA for details)	- Up to 100 users / ca. 40 concurrent users at any one time - Up to 100 projects (active and archived) with an avg. of 500 pages/project - Ca 10 active projects at one time	

* Respective TEST/QA (mandatory) and possibly DEV systems must be included. For sizing optimizations please contact DRIMCO.

Onboarding Requirements*

Customer Responsibility	DRIMCO Responsibility
Hardware & Operations - Servers Available - Remote Access (VDI, VPN) - Access on DRIM Servers* - DNS & SSL for API, GUI, Polarion - Internet Access	Software deployment* and Configuration - DRIM Installation (Backend, AI, GUI) - Helper Programs - Sanity Check - Connectivity Check (DRIM/ Polarion) - Connectivity Check (user)
Data & Configuration - Training Data for AI Training - DRIM/ Polarion Configuration Spec	- DRIM Configuration - DRIM SAT - DRIM AI Training
DRIM Training - Training Materials - Training Appointments	DRIM Training - Training Appointments - Training Specification / Plan


* The deployment methods are in the continuous development and subject to improvements in time.

Translation Requirements*

1. DeepL Pro (API)
<https://www.deepl.com/en/pro-api>
2. Microsoft Translator (part of the Cognitive Services)
<https://learn.microsoft.com/en-us/azure/ai-services/translator/text-translation/overview?tabs=windows>

* additional costs might incur

Architecture Overview (DRIM Only)



Architecture Overview (with Polarion)

